





厦门泓赫进出口有限公司

Xiamen Charm Impact Import and Export Co., Ltd

Address: Unit 1717, 1515 Xin Ao Rd., Xiang' an Xiamen, China

Tell/Fax: +86-0592-7161501

Mobile: +0086-(0)-15159281187 (whatsapp) Contact: Kevin

E-mail: xmb_sales@163.com Skype: kevinkevin388

Website: www.opecmachinery.com

公司简介 Company profile

厦门泓赫进出口有限公司，坐落在沿海经济特区国际旅游城市——厦门。我司拥有现代化总装车间、精密部件加工车间、研发中心，是一家专业从事包装机械研发、生产的企业。

我司有着多年从事国内外包装、研发设计、生产销售经验的总经理把“提供优质包装机械，惠及广大用户”作为奋斗目标，秉承“经验分享，技术支持，用心服务”的经营理念，不断加大研发投入。本公司汇聚了一批国内的专业人才，对产品进行了不断升级和完善，这些产品大量出口到东南亚及中东、东欧、欧美等地区。

本公司可为厂家定制各型新型包装设备，满足广大用户的需求和选购，我们将用心打造，为您的新产品提供最佳包装方案。竭诚欢迎新老客户亲临本公司考察、咨询、洽谈业务。

现推荐本公司产品如下：高速全自动带锯切纸机；生活用纸包装机系列；纸尿裤、床垫及卫生巾包装机系列；抽取式面巾纸包装机系列；擦手纸包装机系列；热收缩机系列；各种封口机、封切机；枕式、立式包装机系列等各种包装机产品。

Xiamen Charm Impact Import and Export Co., Ltd, located in the coastal economic zone of the international tourism city - Xiamen. My company has a modern assembly workshop, precision parts processing workshop, R & D center, is a professional engaged in the research and development of packaging machinery, production enterprises. Division I has for many years engaged in domestic and international packaging, design and development, production and sales experience, general manager of the "to provide quality packaging machinery, collection of the majority of users as a goal, adhering to the" experience sharing and technical support "business philosophy, continue to increase investment in research and development. The company brought together a group of domestic professionals for the product upgrade and improve, these products are exported to Southeast Asia and the Middle East, Europe and other regions.




目录 Contents

▪ 分切机系列	02
Cutting machine series	
▪ 筒纸中包机系列	06
Roll paper bag packing machine series	
▪ 软抽纸中包包装系列	08
Soft paper bag packing machine series	
▪ 实心卷压扁机系列	10
Solid core roll flattening paper packaging machine series	
▪ 软抽纸单包包装系列	12
Soft pumping paper packaging machine series	
▪ 方巾纸包装机系列	14
Paper packaging machine series	
▪ 手帕纸条包机系列	17
Handkerchief paper packing machine series	

一体化带锯自动切(200AB)

The integration of automatic band saw cutting machine


分切机系列 Cutting machine series



卷筒纸带锯自动切(200B)

Reel tape saw cutting machine

Cutting machine series 分切机系列




参数表 (可按客户要求定做)	
Parameter table(Can be customized according to customer requirements)	
分切范围	Ø60mm-Ø120mm; L90mm-L220mm(卷筒纸)
Cutting range	Ø 60mm- Ø 120mm;L90mm-L220mm(Roll paper)
分切范围	300mm×110mm×130mm(L×W×H) (软抽纸)
Cutting range	300mm×110mm×130mm(L×W×H)(Soft pumping paper)
原纸总长	L1300、L2200、L3100
Paper length	L1300,L2200,L3100
分切速度	80 ~ 115切/分钟
Cutting speed	80-115Cut / min
切刀规格	L3900mm-W60mm-H0.6mm
Cutter size	L3900mm-W60mm-H0.6mm
电源电压	380V/50Hz; 4.5KW
Supply voltage	380V/50Hz;4.5KW
气源压力	0.5mpa ~ 0.8mpa
Gas pressure	0.5mpa-0.8mpa
送料控制	PLC、伺服电机控制, 双边同步带送料
Feed contro	PLC, Servo motor control, Double side synchronous belt feeding
磨刀控制	自动磨刀/手动磨刀(可切换)
Grinding control	Automatic / manual knife sharpener(Can switch)
整机重量	2000KG
Machine weight	2000KG
外形尺寸	6800mm×1100mm×1900mm (L×W×H)
Outline dimension	6800mm×1100mm×1900mm(L×W×H)

参数表 (可按客户要求定做)	
Parameter table(Can be customized according to customer requirements)	
分切范围	Ø60mm-Ø125mm; L90mm-L220mm
Cutting range	Ø 60mm- Ø 125mm;L90mm-L220mm
原纸总长	L2200、L3100
Paper length	L2200,L3100
分切速度	80 ~ 115切/分钟
Cutting speed	80-115Cut / min
切刀规格	L3900mm-W60mm-H0.6mm
Cutter size	L3900mm-W60mm-H0.6mm
电源电压	380V/50Hz; 5.5KW
Supply voltage	380V/50Hz;5.5KW
气源压力	0.5mpa ~ 0.8mpa
Gas pressure	0.5mpa-0.8mpa
送料控制	PLC、伺服电机控制, 双边同步带送料
Feed contro	PLC, Servo motor control, Double side synchronous belt feeding
磨刀控制	自动磨刀/手动磨刀(可切换)
Grinding control	Automatic / manual knife sharpener(Can switch)
整机重量	1800KG
Machine weight	1800KG
外形尺寸	3600mm×1100mm×1900mm (L×W×H)
Outline dimension	3600mm×1100mm×1900mm(L×W×H)

软抽纸带锯自动切(200AA)

Soft paper automatic band saw cutting machine

分切机系列 Cutting machine series




参数表（可按客户要求定做） Parameter table(Can be customized according to customer requirements)	
分切范围	300mm × 110mm × 130mm(L × W × H)
Cutting range	300mm×110mm×130mm(L×W×H)
原纸总长	L1300、L2200、L3100
Paper length	L1300,L2200,L3100
分切速度	80 ~ 115切/分钟
Cutting speed	80-115Cut / min
切刀规格	L3900mm-W60mm-H0.6mm
Cutter size	L3900mm-W60mm-H0.6mm
电源电压	380V/50Hz; 4.5KW
Supply voltage	380V/50Hz;4.5KW
气源压力	0.5mpa ~ 0.8mpa
Gas pressure	0.5mpa-0.8mpa
送料控制	PLC、伺服电机控制，双边同步带送料
Feed contro	PLC, Servo motor control, Double side synchronous belt feeding
磨刀控制	自动磨刀/手动磨刀(可切换)
Grinding control	Automatic / manual knife sharpener(Can switch)
整机重量	1800KG
Machine weight	1800KG
外形尺寸	6800mm × 1100mm × 1900mm (L × W × H)
Outline dimension	6800mm×1100mm×1900mm(L×W×H)

大方巾带锯自动切(518A)

Towel automatic belt paper cutter machine

分切机系列 Cutting machine series




参数表（可按客户要求定做） Parameter table(Can be customized according to customer requirements)	
分切范围	Ø60mm-Ø125mm; L90mm-L220mm
Cutting range	Ø 60mm- Ø 125mm;L90mm-L220mm
原纸总长	L2200、L3100
Paper length	L2200,L3100
分切速度	30 ~ 50切/分钟
Cutting speed	30-50Cut / min
切刀规格	L3900mm-W60mm-H0.6mm
Cutter size	L3900mm-W60mm-H0.6mm
电源电压	380V/50Hz; 5.5KW
Supply voltage	380V/50Hz;5.5KW
气源压力	0.5mpa ~ 0.8mpa
Gas pressure	0.5mpa-0.8mpa
送料控制	PLC、伺服电机控制，双边同步带送料
Feed contro	PLC, Servo motor control, Double side synchronous belt feeding
磨刀控制	自动磨刀/手动磨刀(可切换)
Grinding control	Automatic / manual knife sharpener(Can switch)
整机重量	1800KG
Machine weight	1800KG
外形尺寸	3600mm × 1100mm × 1900mm (L × W × H)
Outline dimension	3600mm×1100mm×1900mm(L×W×H)

卷筒纸(单头)中包包装机(426A)

Roll paper single head bag packing machine

卷筒纸中包机系列 Roll paper bag packing machine series




参数表 (可按客户要求定做)	
Parameter table(Can be customized according to customer requirements)	
最大包装	680mm × 300mm × 180mm(L × W × H)
Max packaging	680mm×300mm×180mm(L×W×H)
最小包装	450mm × 160mm × 80mm(L × W × H)
Minimal packaging	450mm×160mm×80mm(L×W×H)
包装速度	≥15包/分
Packing speed	Bag15 / min
气源压力	0.5-0.8Mpa
Gas pressure	0.5mpa-0.8mpa
电源电压	380V/50Hz
Supply voltage	380V/50Hz
总功率	1.2KW
Total power	1.2KW
设备重量	1000KG
Machine weight	1000KG
外形尺寸	6950mm × 1080mm × 1280mm(L × W × H)
Outline dimension	6950mm×1080mm×1280mm(L×W×H)
适用范围	空心卷筒纸、实心卷筒纸
Scope of application	Hollow roll paper, Solid roll paper

卷筒纸(双头)中包包装机(426AB)

Roll paper double head bag packing machine

卷筒纸中包机系列 Roll paper bag packing machine series



参数表 (可按客户要求定做)	
Parameter table(Can be customized according to customer requirements)	
最大包装	680mm × 300mm × 180mm(L × W × H)
Max packaging	680mm×300mm×180mm(L×W×H)
最小包装	450mm × 160mm × 80mm(L × W × H)
Minimal packaging	450mm×160mm×80mm(L×W×H)
包装速度	≥24包/分
Packing speed	Bag 24/ min
气源压力	0.5-0.8Mpa
Gas pressure	0.5mpa-0.8mpa
电源电压	380V/50Hz
Supply voltage	380V/50Hz
总功率	1.4KW
Total power	1.4KW
设备重量	1300KG
Machine weight	1300KG
外形尺寸	6950mm × 1650mm × 1580mm(L × W × H)
Outline dimension	6950mm×1650mm×1580mm(L×W×H)
适用范围	空心卷筒纸、实心卷筒纸
Scope of application	Hollow roll paper, Solid roll paper

软抽(单头)中包包装机(330A)

Bag packing machine for soft draw paper single head

软抽纸中包包装系列 Soft paper bag packing machine series



参数表 (可按客户要求定做)	
Parameter table(Can be customized according to customer requirements)	
最大包装	500mm × 300mm × 110mm(L × W × H)
Max packaging	500mm×300mm×110mm(L×W×H)
最小包装	220mm × 120mm × 90mm(L × W × H)
Minimal packaging	220mm×120mm×90mm(L×W×H)
包装速度	≥ 15包/分
Packing speed	Bag15 / min
气源压力	0.5-0.8Mpa
Gas pressure	0.5mpa-0.8mpa
电源电压	380V/50Hz
Supply voltage	380V/50Hz
总 功 率	0.8KW
Total power	0.8KW
设备重量	550KG
Machine weight	550KG
外形尺寸	3800mm × 1000mm × 1280mm(L × W × H)
Outline dimension	3800mm×1000mm×1280mm(L×W×H)
适用范围	抽纸中包单排/双排(3包、4包、6包、8包、10包)
Scope of application	Tissue paper bag(A row / two row)

软抽(双头)中包包装机(330AB)

Bag packing machine for soft draw paper double head

Soft paper bag packing machine series 软抽纸中包包装系列



参数表 (可按客户要求定做)	
Parameter table(Can be customized according to customer requirements)	
最大包装	500mm × 300mm × 110mm(L × W × H)
Max packaging	500mm×300mm×110mm(L×W×H)
最小包装	220mm × 120mm × 90mm(L × W × H)
Minimal packaging	220mm×120mm×90mm(L×W×H)
包装速度	≥ 22包/分
Packing speed	Bag 22/ min
气源压力	0.5-0.8Mpa
Gas pressure	0.5mpa-0.8mpa
电源电压	380V/50Hz
Supply voltage	380V/50Hz
总 功 率	0.8KW
Total power	0.8KW
设备重量	1000KG
Machine weight	1000KG
外形尺寸	4900mm × 1650mm × 1280mm(L × W × H)
Outline dimension	4900mm×1650mm×1280mm(L×W×H)
适用范围	抽纸中包单排/双排(3包、4包、6包、8包、10包)
Scope of application	Tissue paper bag(A row / two row)

实心卷卧式压扁包装机-连线型(090WA)

Solid core bedroom compressed packing machine

实心卷压扁机系列 Solid core roll flattening paper packaging machine series




参数表 (可按客户要求定做) Parameter table(Can be customized according to customer requirements)	
最大包装 Max packaging	650mm × 200mm × 150mm(L × W × H)
最小包装 Minimal packaging	380mm × 120mm × 80mm(L × W × H)
包装速度 Packing speed	≥10包/分 Bag 10/ min
气源压力 Gas pressure	0.5-0.8Mpa 0.5mpa-0.8mpa
电源电压 Supply voltage	380V/50Hz 380V/50Hz
总功率 Total power	1.2KW 1.2KW
设备重量 Machine weight	900KG 900KG
外形尺寸 Outline dimension	4800mm × 4400mm × 1400mm(L × W × H) 4800mm×4400mm×1400mm(L×W×H)
适用范围 Scope of application	实心卷、抽心卷压扁 Solid volume, Pulling roll flattening

实心卷压扁包装机-简易型(090A)

Solid core simple compressed packing machine

Solid core roll flattening paper packaging machine series 实心卷压扁机系列



参数表 (可按客户要求定做) Parameter table(Can be customized according to customer requirements)	
最大包装 Max packaging	680mm × 180mm × 200mm(L × W × H)
最小包装 Minimal packaging	350mm × 75mm × 80mm(L × W × H)
包装速度 Packing speed	≥12包/分 Bag 12/ min
气源压力 Gas pressure	0.5-0.8Mpa 0.5mpa-0.8mpa
电源电压 Supply voltage	380V/50Hz 380V/50Hz
总功率 Total power	0.5KW 0.5KW
设备重量 Machine weight	550KG 550KG
外形尺寸 Outline dimension	2950mm × 1620mm × 1280mm(L × W × H) 2950mm×1620mm×1280mm(L×W×H)
适用范围 Scope of application	实心卷、抽心卷压扁 Solid volume, Pulling roll flattening

软抽(单头)包装机(011A)

Soft draw paper packing machine

软抽纸单包包装机系列 Soft pumping paper packaging machine series



参数表（可按客户要求定做）	
Parameter table(Can be customized according to customer requirements)	
最大包装	280mm × 150mm × 100mm(L × W × H)
Max packaging	280mm×150mm×100mm(L×W×H)
最小包装	150mm × 80mm × 40mm(L × W × H)
Minimal packaging	150mm×80mm×40mm(L×W×H)
包装速度	≥18包/分
Packing speed	Bag 18/ min
气源压力	0.5–0.8Mpa
Gas pressure	0.5mpa-0.8mpa
电源电压	380V/50Hz
Supply voltage	380V/50Hz
总 功 率	0.8KW
Total power	0.8KW
设备重量	550KG
Machine weight	550KG
外形尺寸	2750mm × 1000mm × 1280mm(L × W × H)
Outline dimension	2750mm×1000mm×1280mm(L×W×H)
适用范围	抽纸、餐巾纸、方巾纸
Scope of application	Tissue,paper napkin, paper towel

软抽(双头)包装机(011AB)

Soft pumping paper double head packing machine

Soft pumping paper packaging machine series 软抽纸单包包装机系列




参数表（可按客户要求定做）	
Parameter table(Can be customized according to customer requirements)	
最大包装	280mm × 150mm × 100mm(L × W × H)
Max packaging	280mm×150mm×100mm(L×W×H)
最小包装	150mm × 80mm × 40mm(L × W × H)
Minimal packaging	150mm×80mm×40mm(L×W×H)
包装速度	≥25包/分
Packing speed	Bag / min
气源压力	0.5–0.8Mpa
Gas pressure	0.5mpa-0.8mpa
电源电压	380V/50Hz
Supply voltage	380V/50Hz
总 功 率	0.8KW
Total power	0.8KW
设备重量	550KG
Machine weight	550KG
外形尺寸	3090mm × 1400mm × 1280mm(L × W × H)
Outline dimension	3090mm×1400mm×1280mm(L×W×H)
适用范围	抽纸、餐巾纸、方巾纸
Scope of application	Tissue,paper napkin, paper towel

大方巾(单头) 包装机(018A)

A large square single bag packaging machine

方巾纸包装机系列 Paper packaging machine series




参数表 (可按客户要求定做)	
Parameter table(Can be customized according to customer requirements)	
最大包装	260mm × 180mm × 100mm(L × W × H)
Max packaging	260mm×180mm×100mm(L×W×H)
最小包装	150mm × 140mm × 40mm(L × W × H)
Minimal packaging	150mm×140mm×40mm(L×W×H)
包装速度	≥15包/分
Packing speed	Bag 15/ min
气源压力	0.5–0.8Mpa
Gas pressure	0.5mpa-0.8mpa
电源电压	380V/50Hz
Supply voltage	380V/50Hz
总 功 率	0.8KW
Total power	0.8KW
设备重量	550KG
Machine weight	550KG
外形尺寸	3090mm × 1180mm × 1280mm(L × W × H)
Outline dimension	3090mm×1180mm×1280mm(L×W×H)
适用范围	抽纸、餐巾纸、方巾纸
Scope of application	Tissue,paper napkin, paper towel

大方巾(双头) 包装机(018AB)

Two large square single bag packaging machine

Paper packaging machine series 方巾纸包装机系列



参数表 (可按客户要求定做)	
Parameter table(Can be customized according to customer requirements)	
最大包装	280mm × 180mm × 100mm(L × W × H)
Max packaging	280mm×180mm×100mm(L×W×H)
最小包装	150mm × 140mm × 40mm(L × W × H)
Minimal packaging	150mm×140mm×40mm(L×W×H)
包装速度	≥24包/分
Packing speed	Bag 24/ min
气源压力	0.5–0.8Mpa
Gas pressure	0.5mpa-0.8mpa
电源电压	380V/50Hz
Supply voltage	380V/50Hz
总 功 率	0.9KW
Total power	0.9KW
设备重量	1000KG
Machine weight	1000KG
外形尺寸	3090mm × 1400mm × 1280mm(L × W × H)
Outline dimension	3090mm×1400mm×1280mm(L×W×H)
适用范围	抽纸、餐巾纸、方巾纸
Scope of application	Tissue,paper napkin, paper towel

大方巾中包包装机(822A)

Towel bag installed in a single head

方巾纸包装机系列 Paper packaging machine series



参数表 (可按客户要求定做)

Parameter table(Can be customized according to customer requirements)

最大包装	600mm × 240mm × 180mm(L × W × H)
Max packaging	600mm×240mm×180mm(L×W×H)
最小包装	300mm × 160mm × 140mm(L × W × H)
Minimal packaging	300mm×160mm×140mm(L×W×H)
包装速度	≥9包/分
Packing speed	Bag 9/ min
气源压力	0.5-0.8Mpa
Gas pressure	0.5mpa-0.8mpa
电源电压	380V/50Hz
Supply voltage	380V/50Hz
总功率	0.5KW
Total power	0.5KW
设备重量	550KG
Machine weight	550KG
外形尺寸	4750mm × 1500mm × 1280mm(L × W × H)
Outline dimension	4750mm×1500mm×1280mm(L×W×H)
适用范围	方巾纸中包
Scope of application	Paper towel

手帕纸条包装机(511A)

Handkerchief paper packing machine

Handkerchief paper packing machine series 手帕纸条包装机系列



参数表 (可按客户要求定做)

Parameter table(Can be customized according to customer requirements)

最大包装	400mm × 105mm × 75mm(L × W × H)
Max packaging	400mm×105mm×75mm(L×W×H)
最小包装	250mm × 75mm × 45mm(L × W × H)
Minimal packaging	250mm×75mm×45mm(L×W×H)
包装速度	≥13条/分
Packing speed	Bag 13/ min
气源压力	0.5-0.8Mpa
Gas pressure	0.5mpa-0.8mpa
电源电压	380V/50Hz
Supply voltage	380V/50Hz
总功率	0.5KW
Total power	0.5KW
设备重量	550KG
Machine weight	550KG
外形尺寸	280mm × 800mm × 1280mm(L × W × H)
Outline dimension	2800mm×800mm×1280mm(L×W×H)
适用范围	手帕纸、迷你巾
Scope of application	Tissue,paper napkin, paper towel

全自动软抽(单包)包装机 (MSBR-60)

AUTOMATED SINGLE-PIECE TISSUE PAPER PACKING MACHINE

Soft pumping paper packaging machine series




参数表 (可按客户要求定做)	
Parameter table(Can be customized according to customer requirements)	
最大包装 Max packaging	220 x 120 x 100mm (L x W x H)
最小包装 Minimal packaging	120 x 80 x 40mm (L x W x H), Or Customized
包装速度 Packing speed	65 Bags/Minute
气源压力 Gas pressure	0.5~0.8 Mpa
电源电压 Supply voltage	380V/50Hz
总功率 Total power	1.1 KW
设备重量 Machine weight	3000 KGS
外形尺寸 Outline dimension	5493×3516×1786(mm)
适用范围 Scope of application	Tissue Paper, Napkin Paper, Kitchen Towel Paper

全自动轮式软抽(单包)包装机 (MS330-80)

AUTOMATED SINGLE-PIECE-WHEELED TISSUE PAPER PACKING MACHINE

Soft pumping paper packaging machine series



参数表 (可按客户要求定做)	
Parameter table(Can be customized according to customer requirements)	
最大包装 Max packaging	200 x 110 x 100mm (L x W x H), Or Customized
最小包装 Minimal packaging	100 x 80 x 30mm (L x W x H), Or Customized
包装速度 Packing speed	15-80 Bags/Min
气源压力 Gas pressure	0.6 Mpa
电源电压 Supply voltage	380V/50Hz
总功率 Total power	6 KW
设备重量 Machine weight	2800 KGS
外形尺寸 Outline dimension	5600 x 4200 x 1910mm (L x W x H)
适用范围 Scope of application	Tissue Paper

V-型叠纸机2-14排 (MS180)

TISSUE PAPER V-FOLDING MACHINE (2-14 LINES)

Soft pumping paper packaging machine series



抽纸/卷筒纸切纸机 (MS210A/AB)

Tissue/Toilet Paper Cutting Machine-Log Saw

Soft pumping paper packaging machine series



参数表（可按客户要求定做） Parameter table(Can be customized according to customer requirements)	
主机结构 Head Structure	4-fixed Knives
原纸宽度 Paper-roll Width	1950 mm
原纸外径 Paper-roll Dia.	1400 mm, Or Customized
原纸纸芯内径 Roll-core Dia.	3" (76.2mm)
生产速度 Operation Speed	Under 120 Meters/Minute
参数设定 Data Setting	Touch-screen, PLC
速度控制 Speed Control	Inverter
压花压边 Full/Edge Embossing	Customized
主电源 Main Power	380v 50Hz

参数表（可按客户要求定做） Parameter table(Can be customized according to customer requirements)	
切割速度 Cutting Speed	40-200 Cuts/Min
磨刀系统 Grinding System	Automated
适用范围 Scope of application	Tissue Paper, Towel Paper, Napkin Paper, Toilet Paper Rolls
气源压力 Gas pressure	0.5-0.6 Mpa
电源电压 Supply voltage	380V/50Hz
总功率 Total power	7.7 KW (Single Channel); 9 KW (Two Channels)
设备重量 Machine weight	1500 KGS/ 1800 KGS
外形尺寸 Outline dimension	2200x1400x2100mm (Single Channel) 2430x1500x2100 (Two Channels)

全自动抽纸/厕纸中包机(MSD360)

AUTOMATED MULTI-PIECES TISSUE/TOILET PAPER PACKING MACHINE

Soft pumping paper machine series



参数表（可按客户要求定做） Parameter table(Can be customized according to customer requirements)	
包装速度 Packing Speed	5-25 Bags/Min
封口宽度 Sealing Width	140-360 mm
电源 Power Source	3-phase 380V, 50Hz
总功率 Total Power	6 KW
热功率 Heating Power	0.4 KW
气源压力 Air Pressure	0.6 Mpa
包装材料 Packing Material	PU double side heat sealing film, thickness 0.04~0.055mm
机械尺寸 Machine Dimension	3220 x 1980 x 2000 mm
机械重量 Machine Weight	3000 KGS

全自动餐巾纸包装机 (MS220)

AUTOMATED NAPKIN PAPER PACKING MACHINE

Soft pumping paper packaging machine series



参数表（可按客户要求定做） Parameter table(Can be customized according to customer requirements)	
包装速度 Packing Speed	25~35 Bags/Min
包装范围 Packing Range	L(100-180) x W(100-180) x H(15-45) mm, Or Customized
外形尺寸，重量 Measure, Weight	2544 x 2600 x 2020 mm, 2000 KGS
包装膜材质 Packing Film Material	PP Single Wall, Or Same Material Compound Film
包装膜纸芯直径 Packing Film Paper Core Dia.	76.2mm (3 Inch) Paper Core
电源，总功率 Power Source, Total Power	3-phase 380V, 50 Hz, 7.5 KW
气源压力 Air Source Pressure	0.6 Mpa
主机功率 Head Machine Power	1.5 KW
加热功率 Heating Power	3 KW

餐巾纸折叠机 (MCA470AB)

Napkin Paper Folding Machine

Soft pumping paper machine series



参数表 (可按客户要求定做)	
Parameter table(Can be customized according to customer requirements)	
折叠尺寸 Finished Size	235 x 235 ± 2 mm
展开尺寸 Unfold Size	470 x 470 mm
原料规格 Jumbo Roll Size	Width660mm x Φ1200 mm(One Channel); Width1320mm x Φ1200mm(Two Channel)
压花 Full Embossing	Steel to Cotton Rolls
磨刀 Grinding	Automated
点数 Counting	Pneumatic
主机变频电机 Inverter Motor	5.5 KW
设备尺寸 Machine Dimension	L5300 x W1200 x 1800mm
生产速度 Operation Speed	600 Pieces/Minute, Speed Adjustable

厕纸缩膜包装机 (MSA330)

Toilet Paper Film Packing Machine(Single-piece)

Soft pumping paper packaging machine series



参数表 (可按客户要求定做)	
Parameter table(Can be customized according to customer requirements)	
生产速度 Operation Speed	60-100 Bags/Min
单卷尺寸 Single-Piece Size	As required
输送带高度 Belt Height	Adjustable
包装方式 Heat Sealing Method	Two-sized-heat Sealing
包装膜材质 Packing Film Material	CPP, PE, Paper Plastic
包装尺寸 Packing Size	Dia. <=120MM
控制器 Control	PLC
功率 Power	6 KW, 220V, 50 Hz
机器重量 Machine Weight	About 2000 KGS

全自动厕纸复卷机(MSR188)

Toilet Paper Re-winding Machine

Soft pumping paper machine series




参数表（可按客户要求定做）	
Parameter table(Can be customized according to customer requirements)	
产品编号 Item No.	1575/1880/2400/2600/3150/3500 1800/2100/2400/2500/3000/3500 (Jumbo Roll Width Related)
成品直径 Finished Roll Dia.	Φ60~150mm
内芯直径 Jumbo Roll Core Dia.	Φ76.2mm(Customized)
原纸直径 Jumbo Roll Dia.	Φ1100mm(Customized)
加工速度 Operation Speed	130~180 Meters/Minute(Adjustable)
动力 Machine Power	5.5~11KW (Adjustable)
气压 Pneumatic System	3HP Air Compressor, Min Pressure 5KG/CBM(Not Included!)
机台尺寸 Machine Measure	6200x2800x1800mm - 6200x4100x1800mm
机台重量 Machine Weight	3000~7000KGS

半自动手工放纸厕纸中包机(MS218SA)

Semi-auto Multi-pieces Toilet Paper Packing Machine

Soft pumping paper packaging machine series



参数表（可按客户要求定做）	
Parameter table(Can be customized according to customer requirements)	
最大包装 Max Packing Size	680*300*360mm(L*W*H)
最小包装 Min Packing Size	450*160*160mm(L*W*H)
包装速度 Operation Speed	12-18 Bags/Minute
气源压力 Air Pressure	0.5~0.8 Mpa
电源电压 Power Supply	3-phase, 380V/50Hz
总功率 Machine Power	1.2 KW
设备重量 Machine Weight	1000 KGS
设备规格 Machine Measure	2150*1250*1280mm
使用范围 Applications	Toilet Paper Rolls Packing, with/without Cores

半自动卫生巾包装机（配/不配输送带）

Semi-auto Sanitary Pad Packing Machine(With/Without Belt)---MSW18

Soft pumping paper machine series



参数表（可按客户要求定做）	
Parameter table(Can be customized according to customer requirements)	
包装速度 Packing Speed	8-15 Bags/Minute
电源电压 Power Supply	380V/220V, 50HZ or Customized
气源压力 Air Pressure	0.5 MPA(Not Included)
总功率 Total Power	0.4 KW
包装尺寸 Packing Size	L(300-550)*W(110-280)*H(50-180)mm or Customized
机械尺寸 Machine Measure	L2500*W1500*H1250mm
机械重量 Machine Weight	300 KGS

半自动纸尿裤包装机（配/不配输送带）

Semi-auto Baby/Adult Diaper Packing Machine(With/Without Belt)---MZ16

Soft pumping paper packaging machine series



参数表（可按客户要求定做）	
Parameter table(Can be customized according to customer requirements)	
包装速度 Packing Speed	15-25 Bags/Minute
电源电压 Power Supply	380V/220V, 50HZ or Customized
气源压力 Air Pressure	0.5 MPA(Not Included)
总功率 Total Power	0.4 KW
包装尺寸 Packing Size	L(100-400)*W(100-280)*H(50-180)mm or Customized
机械尺寸 Machine Measure	L3600*W2100*H1500mm
机械重量 Machine Weight	400 KGS

半自动散抽包装机（不配输送带）

Semi-auto Napkin Tissue Packing Machine(Without Belt) --- MS-ST210


Soft pumping paper machine series



半自动盒抽机

Semi-auto Tissue Box-closing Machine (MS-BC110)

Soft pumping paper packaging machine series



参数表（可按客户要求定做）	
Parameter table(Can be customized according to customer requirements)	
包装速度 Packing Speed	8-20 Bags/Minute(Up to workers)
电源电压 Power Supply	380V/220V, 50HZ or Customized
气源压力 Air Pressure	0.5 MPA(Not Included)
总功率 Total Power	0.4 KW
包装尺寸 Packing Size	L(300-550)*W(110-500)*H(50-500)mm or Customized
机械尺寸 Machine Measure	L2500*W1500*H1250mm
机械重量 Machine Weight	300 KGS

参数表（可按客户要求定做）	
Parameter table(Can be customized according to customer requirements)	
包装速度 Packing Speed	90-110 Boxes/Minute
电源电压 Power Supply	220V, 50HZ or Customized
气源压力 Air Pressure	0.4 MPA(Not Included)
总功率 Total Power	2.4 KW
包装尺寸 Packing Size	L(100-250)*W(50-150)*H(30-100)mm or Customized
机械尺寸 Machine Measure	L3200*W800*H1500mm
机械重量 Machine Weight	400 KGS

全自动小盘纸切纸机--大回旋

Automated Large Toilet Roll Cutting Machine Log Saw--- MS-LS160

Soft pumping Cutting paper machine series



参数表（可按客户要求定做） Parameter table(Can be customized according to customer requirements)	
切割速度 Cutting Speed	20-40 Bags/Minute (Adjustable)
电源电压 Power Supply	380V/220V, 50HZ or Customized
气源压力 Air Pressure	0.5 MPA (Not Included)
总功率 Total Power	12 KW
切割尺寸 Cutting Size	L90-250mm, Dia. 150-250mm or Customized
机械尺寸 Machine Measure	L2200*W1400*H2100mm
机械重量 Machine Weight	1500 KGS

全自动小盘纸切纸机

Automated Large Toilet Rolls Cutting Machine Band Saw --- MS-BS180

Soft pumping paper Cutting machine series




参数表（可按客户要求定做） Parameter table(Can be customized according to customer requirements)	
切割速度 Cutting Speed	20-40 Bags/Minute (Adjustable)
电源电压 Power Supply	380V/220V, 50HZ or Customized
气源压力 Air Pressure	0.6 MPA (Not Included)
总功率 Total Power	12 KW
切割尺寸 Cutting Size	L90-250mm, Dia. 150-250 or Customized
机械尺寸 Machine Measure	L2200*W1400*H2100mm
机械重量 Machine Weight	3000 KGS

其他简易配套生活用纸包装设备

OTHER SIMPLE TISSUE PAPER PACKING MACHINES (CZ599AB/CZ600/CZ168)

Soft pumping paper machine series



参数表（可按客户要求定做） Parameter table(Can be customized according to customer requirements)	
包装速度 Packing Speed	25-30 Bags/Min (Up to Workers)
封口宽度 Sealing Width	Within 500 mm Width, or Customized
电源 Power Source	220V, 50Hz
总功率 Total Power	0.4 KW
热功率 Heating Power	0.4 KW
气源压力 Air Pressure	0.6 Mpa
机械尺寸 Machine Dimension	700 x 800 x 700 mm(L*W*H)
机械重量 Machine Weight	125 KGS

其他简易配套生活用纸包装设备

OTHER SIMPLE Toilet PAPER PACKING MACHINES (MSR188, MPC-150, CZ168)

Soft pumping paper machine series



参数表（可按客户要求定做） Parameter table(Can be customized according to customer requirements)	
包装速度 Packing Speed	25-30 Bags/Min (Up to Workers)
封口宽度 Sealing Width	Within 500 mm Width, or Customized
电源 Power Source	220V, 50Hz
总功率 Total Power	0.4 KW
热功率 Heating Power	0.4 KW
气源压力 Air Pressure	0.6 Mpa
机械尺寸 Machine Dimension	700 x 800 x 700 mm(L*W*H)
机械重量 Machine Weight	125 KGS

卫生巾机-型号: WSJ-1-HD

Sanitary Pad Making Machine-WSJ-1-HD

卫生巾生产系列

Soft pumping paper machine series



参数表 (可按客户要求定做)	
Parameter table(Can be customized according to customer requirements)	
Total Power:	48KW 1) 380V 50HZ Alternation current, for main motors. 2) 220V 50HZ Alternation current, for heating system.
Producing speed:	200 - 300pcs/min
Air Pressure:	1000 liter/min 8-10 Bars
Wastage rate:	≤2%
Machine Weight:	≈ 18T
Dimension:	18m*2.8m*2.2m (L*W*H)
Pad Size Options:	240,280,290,..420..., Or As required(One Sized Only)

卫生巾机-型号: WSJ-2-HD

Sanitary Pad Making Machine-WSJ-2-HD

Soft pumping paper packaging machine series


卫生巾生产系列



参数表 (可按客户要求定做)	
Parameter table(Can be customized according to customer requirements)	
Total Power:	50 KW 1) 380V 50HZ Alternation current, for main motors. 2) 220V 50HZ Alternation current, for heating system.
Producing speed:	200 - 300pcs/min
Air Pressure:	1000 liter/min 8-10 Bars
Wastage rate:	≤2%
Machine Weight:	≈ 20T
Dimension:	21m*2.5 m*2.8 m (L*W*H)
Pad Size Options:	240,280,290,..420..., Or As required(Two Sized Only)

婴儿纸尿裤包装机-BPC-5-10A
 Baby Diaper Packing Machine-BPC-5-10


卫生巾包装系列
 Soft pumping paper machine series



参数表（可按客户要求定做） Parameter table(Can be customized according to customer requirements)	
Packing Speed:	12-14 Bags/Min.
Power Supply:	220V, 50HZ
Air Pressure:	0.5 MPa. (Not Included)
Total Power:	0.4 KW
Packing Size Range:	L(100-230)*W(100-145)*H(60-110)mm, Or Customized
Machine Dimension:	L2100*W1250*H1250mm
Machine Weight:	300 KGS

全自动卷纸包装机-ATP-480
 Auto Toilet Roll Packing Machine-ATP-480

Soft pumping paper packaging machine series
 卷筒纸系列



参数表（可按客户要求定做） Parameter table(Can be customized according to customer requirements)	
Output:	20 bags/Min.
Packing Size Range:	Max: L720*480*360mm
Configuration:	Toilet Roll: 4-48 Rolls, Kitchen Towel: 2-6 Rolls
Power Supply:	3-phase 380V, 50HZ
Air Pressure:	5 MPa (Min.)
Packing Film Material:	PE Precast Bag
Total Power:	11 KW
Machine Measure:	L3800*W1600*H2200mm
Color:	As required

软抽/卷纸手工切纸机

Manual Tissue/Toilet Paper Cutting Machine --- MPC-150

Soft pumping paper machine series



参数表（可按客户要求定做） Parameter table(Can be customized according to customer requirements)	
Power Source:	4 KW
Designed Cutting Dia.:	5-30 CM
Max. Cutting Dia.:	45 CM
Table Size:	Normal size 1500mm (L) * 70mm (W), Customization Availalbe
Machine Weight:	410 KGS
Machine Measure:	900×700×1800mm

Company Overal View

Office Overal View:



Workshop Overal View:

